propacare®

The ionization that kills viruses and bacteria... without ozone!

Never as in recent times we are realizing the absolute need to have and frequent environments where the possible presence of viruses and bacteria, that can be found in the air we breathe or in the surfaces we touch, is minimized, thus limiting the possibility to contaminate us, even if unwittingly.

We know that there are actions capable of sanitizing the air and the environment at home and in the office, but so far they have always required the total absence of people in such environments.

The big limitation of not being able to operate in the presence of people who had existing appliances, has stimulated our technicians and scientists to study and develop a new, highly innovative and safe system, which allows to act safely even in the presence of people.

The **Eco-Bionizers** that we offer are part of **Propagroup's new Propacare program** and present highly innovative aspects that take inspiration and successfully use the tools provided by Nature to regenerate the environment in a completely natural way.



Air ionization is one of the ways in which Nature acts upon the environment and, in some cases, as during thunderstorms, it does so by creating large quantities of negative ions and ozone. The presence of these two elements means that the air has significant sanitizing properties but, so charged, it cannot and must not be breathed for a long time. In fact, in nature, thunderstorms have a short duration and then allow the air to stabilize after being sanitized.

A waterfall, on the other hand, also creates an ionization process but, in this case, balanced. It does not impose limits on the enjoyment time and is absolutely indicated to increase the well-being of people, animals and plants. If the waterfall is located in a green forest, it can also have the perceptible energy recharge function of those who are nearby.



Precisely this aspect just described is the principle that guided us towards the realization of our bipolar **Eco-Bionizers** which prerogative is to emit clusters of positive and negative ions capable of incorporating viruses and bacteria. Once incorporated, these are deactivated and precipitated, if "caught" in the air, or they can be deactivated directly on the surfaces when the clusters settle, incorporating and deactivating viruses and bacteria. All this occurs without ozone emission and with a natural balance between the positive and negative ions, thus making the air perfectly breathable, as if you were in a forest near a waterfall !!!

The bipolar clusters emitted by our **Eco-Bionizers** are also able to effectively reduce the environmental pollutants present in the air. Therefore they not only eliminate viruses and bacteria, but also clean up by common environmental pollutants (also called VOC Volatile Organic Compound) the air of the spaces where they operate, making it healthier and more breathable.

THE 4 FONCTIONS OF OUR ECO BIONIZER:

The **Ojas EcoBionizer Pro** is a Swissmade, 4-step air treatment system designed specifically for the modern environment. Utilizing revolutionary, patented technology, the Ojas EcoBionizer Pro powerfully **filters**, **purifies**, **ionizes**, **and energizes your home and office air**.



FILTRATION

Our devices also have a filtering system that allows you to collect solid particles suspended in the air with a diameter of up to 0.1 microns.

		7
IN	IN	

PURIFICATION

The **Ojas Eco-Bionizer Pro** system, with which our Eco-Bionizers are equipped, helps to break down and destroy allergens, harmful gases, bacteria and viruses present in the air, effectively purifying it. It also reduces unpleasant odors and VOC Volatile Organic Compounds which are neutralized, regenerating the air.



IONIZATION

The result of decades of studies and innovative research in the field of air ionization, **Ojas Eco-Bionizer Pro with which are equipped our devices, simultaneously generates negative and positive ions in a very precise ratio, thus making the natural environments healthy and bionomic**. This patented Swiss technology precisely controls the ion ratio for maximum benefit, in safety, for the people, animals and plants that inhabit the environment



ENERGIZATION

The key to the energization of the environment that our **Eco-Bionizers** provide, in addition to the ionisation described above, is the Ojas Eco-Bionizer core developed in Switzerland through a long scientific research path in the Bionomic field. This core increases the natural environmental energy produced by the unit, thus contributing to raising the natural beneficial impact produced by technology. Ojas technologies help to create a field of natural ambient energy (NAE) in environments via a superfine vibration, which flows in a coherent harmonious state.





ECO BIONIZERS FEATURES:

Precision Swiss Technology

Utilizes proprietary carbon fiber electrodes to create the highest concentration of bipolar ions, which replicate the air most often found in healthy natural environments – mountains, forests, near waterfalls and beaches.

Low Noise

Operates quietly, at volumes somewhere between whisper and sound level what you may experience while at a library. It is also 30-50% quieter than a standard air conditioning unit.

Low Maintenance

Extremely durable and will work little to no maintenance. All you need to do is periodically change the easy to switch internal filters.

Durable Craftsmanship

Effectively works for many years or even decades with little to no maintenance.

Energy Efficient

Runs with minimal power consumption, lowering electricity and carbon footprint needed to operate it.

Spacious Coverage

Available in two models. Depending on environmental conditions, the Ojas Eco-Bionizer Pro Blue works in spaces of 30 to 45 square meters, while the Gold model effectively works in spaces of 60 up to 90 square meters.

Ozone Free

The Ojas EcoBionizer AERSwiss Pro units do not generate ozone, and maintain a consistent level of bipolar ionization in the air.





Ojas Eco Bionizer Pro Blue

Ojas Eco Bionizer Pro Gold

propacare®

Unit	Eco Bionizer Blue	Eco bionizer Gold	
Electricity Supply	220-240 VAC / 50 Hz	230VAC / 50 Hz	
Energy consumption	With ventilation at minimum 20 Watt With ventilation at maximum 25 Watt	With ventilation at minimum 25 Watt With ventilation at maximum 40 Watt	
Fuse	microfuse 20 x 5 mm 1A dealyed (T)		
Ionization Voltage	Approx. 5.0 kV negative Approx. 5.0 kV positive		
Type of ionization	Bipolar with carbon fi ber electrodes		
Ionization power	Approx. 250'000 ioni/cm3* ventilation at min. Approx. 320'000 ioni/cm3* ventilation at max.		
Air flow	With ventilation at minimum 30 m3/h With ventilation at maximum 55 m3/h	With ventilation at minimum 80 m3/h With ventilation at maximum 110 m3/h	
Fan	silent tangential fan, suitable for continuous operation		
Noise	With ventilation at minimum ~ 29 dB (A) With ventilation at maximum ~ 38 dB (A)	With ventilation at minimum ~ 41 dB (A) With ventilation at maximum ~ 45 dB (A)	
Filter	replaceable electrostatic "FILTRETE" type (model 3M) with additional activated carbon fi Iter		
Dimensions	386 x 190 x 235 mm (LxWxH)	450 x 325 x 150 mm (LxWxH)	
Weight	6.4 kg	8.0 kg	

IMPORTANT NOTICE - This information is provided for general educational and information purposes only and does not constitute professional environmental, health or medical advice. Please consult a health or environmental professional for any specific environmental and / or health concerns, services or assessments.

